























Physician Practices in the Treatment of Brain Metastases






| 1. Have you, in the past year, been involved in the decision-making for care of patients with brain metastases? | | | |
|---|--|--------------------------|----------------|
| | | Response Percent | Response Count |
| Yes |  | 98.8% | 412 |
| No |  | 1.2% | 5 |
| | | answered question | 417 |
| | | skipped question | 0 |

| 2. Assuming that the lesion is a brain metastasis from his lung cancer, what would be your initial management plan for this patient? | | | |
|--|--|--------------------------|----------------|
| | | Response Percent | Response Count |
| Whole brain radiation therapy alone |  | 1.7% | 6 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 24.4% | 85 |
| Stereotactic radiosurgery alone |  | 27.3% | 95 |
| Surgery with whole brain radiation therapy |  | 45.7% | 159 |
| No treatment |  | 0.9% | 3 |
| | | answered question | 348 |
| | | skipped question | 69 |






| 3. Referring back to Mr. A's initial case, if he instead had a KPS of 50, what would be your initial management plan? | | | Response Percent | Response Count |
|---|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | | 51.1% | 178 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | | 14.9% | 52 |
| Stereotactic radiosurgery alone |  | | 21.8% | 76 |
| Surgery with whole brain radiation therapy |  | | 3.7% | 13 |
| No treatment |  | | 8.3% | 29 |
| | | | answered question | 348 |
| | | | skipped question | 69 |

| 4. Referring back to Mr. A's initial case, if his brain metastasis instead was from melanoma, what would be your initial management plan? | | | Response Percent | Response Count |
|---|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | | 1.1% | 4 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | | 17.2% | 60 |
| Stereotactic radiosurgery alone |  | | 42.5% | 148 |
| Surgery with whole brain radiation therapy |  | | 38.5% | 134 |
| No treatment |  | | 0.6% | 2 |
| | | | answered question | 348 |
| | | | skipped question | 69 |






| 5. Referring back to Mr. A's initial case, if he instead had active extracranial disease, what would be your initial management plan? | | | |
|---|--|--------------------------|----------------|
| | | Response Percent | Response Count |
| Whole brain radiation therapy alone |  | 50.6% | 176 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 18.7% | 65 |
| Stereotactic radiosurgery alone |  | 22.4% | 78 |
| Surgery with whole brain radiation therapy |  | 6.3% | 22 |
| No treatment |  | 2.0% | 7 |
| | | answered question | 348 |
| | | skipped question | 69 |






| 6. Referring back to Mr. A's initial case, if he instead was 80 years old, what would be your initial management plan? | | | |
|--|---|--------------------------|----------------|
| | | Response Percent | Response Count |
| Whole brain radiation therapy alone |  | 25.6% | 89 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 25.0% | 87 |
| Stereotactic radiosurgery alone |  | 37.1% | 129 |
| Surgery with whole brain radiation therapy |  | 10.1% | 35 |
| No treatment |  | 2.3% | 8 |
| | | answered question | 348 |
| | | skipped question | 69 |






7. Referring back to Mr. A's initial case, if he instead did have focal neurological deficits related to his brain metastasis, what would be your initial management plan?






| | | Response Percent | Response Count |
|--|--|------------------|----------------|
| Whole brain radiation therapy alone |  | 9.5% | 33 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 24.1% | 84 |
| Stereotactic radiosurgery alone |  | 16.7% | 58 |
| Surgery with whole brain radiation therapy |  | 49.1% | 171 |
| No treatment |  | 0.6% | 2 |
| | answered question | | 348 |
| | skipped question | | 69 |






8. Referring back to Mr. A's initial case, if he instead had a 3-cm brain metastasis with associated edema and related focal neurological deficits, what would be your initial management plan?

| | | Response Percent | Response Count |
|--|--|------------------|----------------|
| Whole brain radiation therapy alone |  | 10.1% | 35 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 21.3% | 74 |
| Stereotactic radiosurgery alone |  | 5.2% | 18 |
| Surgery with whole brain radiation therapy |  | 63.2% | 220 |
| No treatment |  | 0.3% | 1 |
| | answered question | | 348 |
| | skipped question | | 69 |






| 9. Assuming that the lesions are brain metastases, what would be your initial management plan for this patient? | | | Response Percent | Response Count |
|---|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | | 20.0% | 66 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | | 54.5% | 180 |
| Stereotactic radiosurgery alone |  | | 23.3% | 77 |
| Surgery with whole brain radiation therapy |  | | 1.8% | 6 |
| No treatment |  | | 0.3% | 1 |
| | | | answered question | 330 |
| | | | skipped question | 87 |

| 10. Referring back to Mr. B's initial case, if he instead had a KPS of 50, what would be your initial management plan? | | | Response Percent | Response Count |
|--|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | | 77.6% | 256 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | | 7.3% | 24 |
| Stereotactic radiosurgery alone |  | | 9.1% | 30 |
| Surgery with whole brain radiation therapy |  | | 0.9% | 3 |
| No treatment |  | | 5.2% | 17 |
| | | | answered question | 330 |
| | | | skipped question | 87 |






| 11. Referring back to Mr. B's initial case, if his brain metastases instead were from melanoma, what would be your initial management plan? | | | |
|---|--|--------------------------|----------------|
| | | Response Percent | Response Count |
| Whole brain radiation therapy alone |  | 17.9% | 59 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 43.9% | 145 |
| Stereotactic radiosurgery alone |  | 34.5% | 114 |
| Surgery with whole brain radiation therapy |  | 3.3% | 11 |
| No treatment |  | 0.3% | 1 |
| | | answered question | 330 |
| | | skipped question | 87 |






| 12. Referring back to Mr. B's initial case, if he instead had active extracranial disease, what would be your initial management plan? | | | |
|--|--|--------------------------|----------------|
| | | Response Percent | Response Count |
| Whole brain radiation therapy alone |  | 71.8% | 237 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 15.2% | 50 |
| Stereotactic radiosurgery alone |  | 10.6% | 35 |
| Surgery with whole brain radiation therapy |  | 0.6% | 2 |
| No treatment |  | 1.8% | 6 |
| | | answered question | 330 |
| | | skipped question | 87 |





13. Referring back to Mr. B's initial case, if he instead was 80 years old, what would be your initial management plan?

| | | Response Percent | Response Count |
|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | 50.0% | 165 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 24.8% | 82 |
| Stereotactic radiosurgery alone |  | 21.8% | 72 |
| Surgery with whole brain radiation therapy |  | 0.3% | 1 |
| No treatment |  | 3.0% | 10 |
| | | answered question | 330 |
| | | skipped question | 87 |






14. Referring back to Mr. B's initial case, if he instead had focal neurological deficits related to his brain metastases, what would be your initial management plan?

| | | Response Percent | Response Count |
|---|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | 34.5% | 114 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 40.3% | 133 |
| Stereotactic radiosurgery alone |  | 11.8% | 39 |
| Surgery with whole brain radiation therapy |  | 12.7% | 42 |
| No treatment |  | 0.6% | 2 |
| | | answered question | 330 |
| | | skipped question | 87 |






| 15. Referring back to Mr. B's initial case, if the largest of his brain metastases was 4-cm, what would be your initial management plan? | | | Response Percent | Response Count |
|--|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | | 41.5% | 137 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | | 29.1% | 96 |
| Stereotactic radiosurgery alone |  | | 2.4% | 8 |
| Surgery with whole brain radiation therapy |  | | 26.1% | 86 |
| No treatment |  | | 0.9% | 3 |
| | | | answered question | 330 |
| | | | skipped question | 87 |

| 16. Assuming that the lesions are brain metastases, what would be your initial management plan for this patient? | | | Response Percent | Response Count |
|--|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | | 90.4% | 293 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | | 6.2% | 20 |
| Stereotactic radiosurgery alone |  | | 3.1% | 10 |
| Surgery with whole brain radiation therapy | | | 0.0% | 0 |
| No treatment |  | | 0.3% | 1 |
| | | | answered question | 324 |
| | | | skipped question | 93 |






17. Referring back to Mr. C's initial case, if he instead had a KPS of 50, what would be your initial management plan?

| | | Response Percent | Response Count |
|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | 88.0% | 285 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 2.2% | 7 |
| Stereotactic radiosurgery alone |  | 1.2% | 4 |
| Surgery with whole brain radiation therapy |  | 0.3% | 1 |
| No treatment |  | 8.3% | 27 |
| | | answered question | 324 |
| | | skipped question | 93 |






18. Referring back to Mr. C's initial case, if his brain metastases instead were from melanoma, what would be your initial management plan?

| | | Response Percent | Response Count |
|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | 80.9% | 262 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 11.1% | 36 |
| Stereotactic radiosurgery alone |  | 6.2% | 20 |
| Surgery with whole brain radiation therapy |  | 0.3% | 1 |
| No treatment |  | 1.5% | 5 |
| | | answered question | 324 |
| | | skipped question | 93 |






19. Referring back to Mr. C's initial case, if he instead had active extracranial disease, what would be your initial management plan?

| | | Response Percent | Response Count |
|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | 90.7% | 294 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 3.1% | 10 |
| Stereotactic radiosurgery alone |  | 2.2% | 7 |
| Surgery with whole brain radiation therapy |  | 0.3% | 1 |
| No treatment |  | 3.7% | 12 |
| | | answered question | 324 |
| | | skipped question | 93 |






20. Referring back to Mr. C's initial case, if he instead was 80 years old, what would be your initial management plan?

| | | Response Percent | Response Count |
|--|--|--------------------------|----------------|
| Whole brain radiation therapy alone |  | 90.4% | 293 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 2.2% | 7 |
| Stereotactic radiosurgery alone |  | 1.9% | 6 |
| Surgery with whole brain radiation therapy |  | 0.3% | 1 |
| No treatment |  | 5.2% | 17 |
| | | answered question | 324 |
| | | skipped question | 93 |

21. Referring back to Mr. C's initial case, if he instead had focal neurological deficits related to his brain metastases, what would be your initial management plan?

| | | Response Percent | Response Count |
|--|--|------------------|----------------|
| Whole brain radiation therapy alone |  | 87.0% | 282 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 5.9% | 19 |
| Stereotactic radiosurgery alone |  | 1.9% | 6 |
| Surgery with whole brain radiation therapy |  | 4.0% | 13 |
| No treatment |  | 1.2% | 4 |
| answered question | | | 324 |
| skipped question | | | 93 |

22. Referring back to Mr. C's initial case, if the largest of his brain metastases was 4-cm, what would be your initial management plan?





| | | Response Percent | Response Count |
|--|--|------------------|----------------|
| Whole brain radiation therapy alone |  | 72.5% | 235 |
| Whole brain radiation therapy with stereotactic radiosurgery boost |  | 16.0% | 52 |
| Stereotactic radiosurgery alone |  | 0.3% | 1 |
| Surgery with whole brain radiation therapy |  | 10.2% | 33 |
| No treatment |  | 0.9% | 3 |
| answered question | | | 324 |
| skipped question | | | 93 |





23. Please select the answer for each of the following factors that best describes how you (the physician) think that the factor influences your decision-making of how to manage patients with brain metastases.

| | No influence on my decision-making | Minimal influence | Moderate influence | Strong influence | Response Count |
|---|------------------------------------|--------------------|--------------------|--------------------|----------------|
| Patient's concern about cognitive decline. | 5.2% (16) | 22.6% (70) | 45.5% (141) | 26.8% (83) | 310 |
| Patient's desire to maximize quality of life. | 1.3% (4) | 2.9% (9) | 25.8% (80) | 70.0% (217) | 310 |
| Logistical convenience of treatment for patient. | 3.9% (12) | 21.3% (66) | 57.4% (178) | 17.4% (54) | 310 |
| Extent of patient's symptoms from intracranial disease. | 1.6% (5) | 9.0% (28) | 42.3% (131) | 47.1% (146) | 310 |
| Patient's desire for minimal intervention. | 1.0% (3) | 7.7% (24) | 37.1% (115) | 54.2% (168) | 310 |
| Patient currently enrolled in hospice. | 5.5% (17) | 13.5% (42) | 29.0% (90) | 51.9% (161) | 310 |
| Patient's desire for aggressive management. | 1.3% (4) | 7.4% (23) | 41.0% (127) | 50.3% (156) | 310 |
| Waiting time until treatment is available. | 29.7% (92) | 32.3% (100) | 30.0% (93) | 8.1% (25) | 310 |
| Financial cost of treatment. | 33.2% (103) | 42.9% (133) | 20.0% (62) | 3.9% (12) | 310 |
| Patient's insurance plan or lack thereof. | 47.1% (146) | 31.9% (99) | 14.8% (46) | 6.1% (19) | 310 |
| | <i>answered question</i> | | | | 310 |
| | <i>skipped question</i> | | | | 107 |

24. At what number of metastases would you consider disease to be diffuse and not amenable to local treatment? Please enter a whole number.






| | Response Count |
|--|--------------------------|
| | 310 |
| | <i>answered question</i> |
| | 310 |
| | <i>skipped question</i> |
| | 107 |






| 25. In patients with known metastatic disease who are asymptomatic, which of the following do you recommend for screening for brain metastases? | | | |
|---|--|--------------------------|----------------|
| | | Response Percent | Response Count |
| No screening |  | 37.4% | 116 |
| One screening at the time of initial diagnosis |  | 42.3% | 131 |
| Screening once per year |  | 10.6% | 33 |
| Screening more than once per year |  | 9.7% | 30 |
| | | answered question | 310 |
| | | skipped question | 107 |






| 26. How do you describe, to your patients, the severity of fatigue related to whole brain radiation therapy (WBRT)? | | | |
|---|--|--------------------------|----------------|
| | | Response Percent | Response Count |
| None | | 0.0% | 0 |
| Minimal |  | 5.2% | 16 |
| Mild |  | 34.5% | 107 |
| Moderate |  | 54.5% | 169 |
| Severe |  | 5.8% | 18 |
| | | answered question | 310 |
| | | skipped question | 107 |






| 27. How do you describe, to your patients, the severity of decline in quality of life related to WBRT? | | | | |
|--|--|--|--------------------------|----------------|
| | | | Response Percent | Response Count |
| None | | | 4.2% | 13 |
| Minimal | | | 28.7% | 89 |
| Mild | | | 48.7% | 151 |
| Moderate | | | 17.1% | 53 |
| Severe | | | 1.3% | 4 |
| | | | answered question | 310 |
| | | | skipped question | 107 |





| 28. How do you describe, to your patients, the severity of cognitive decline related to WBRT? | | | | |
|---|--|--|--------------------------|----------------|
| | | | Response Percent | Response Count |
| None | | | 1.9% | 6 |
| Minimal | | | 38.4% | 119 |
| Mild | | | 42.3% | 131 |
| Moderate | | | 16.5% | 51 |
| Severe | | | 1.0% | 3 |
| | | | answered question | 310 |
| | | | skipped question | 107 |

| 29. How do you describe, to your patients, the severity of radiation necrosis related to stereotactice radiosurgery (SRS)? | | | Response Percent | Response Count |
|--|--|--|--------------------------|----------------|
| None |  | | 0.6% | 2 |
| Minimal |  | | 34.8% | 108 |
| Mild |  | | 39.0% | 121 |
| Moderate |  | | 23.5% | 73 |
| Severe |  | | 1.9% | 6 |
| | | | answered question | 310 |
| | | | skipped question | 107 |

| 30. Are you more or less likely to use SRS than you were one year ago? | | | Response Percent | Response Count |
|--|--|--|--------------------------|----------------|
| Much more likely |  | | 10.0% | 31 |
| Somewhat more likely |  | | 35.8% | 111 |
| No difference |  | | 51.6% | 160 |
| Somewhat less likely |  | | 1.6% | 5 |
| Much less likely |  | | 1.0% | 3 |
| | | | answered question | 310 |
| | | | skipped question | 107 |

| 31. Than you were five years ago? | | | Response Percent | Response Count |
|-----------------------------------|--|--|---------------------------------|----------------|
| Much more likely |  | | 39.4% | 122 |
| Somewhat more likely |  | | 33.9% | 105 |
| No difference |  | | 24.2% | 75 |
| Somewhat less likely |  | | 1.6% | 5 |
| Much less likely |  | | 1.0% | 3 |
| | | | <i>answered question</i> | 310 |
| | | | <i>skipped question</i> | 107 |




| 32. Than you were 10 years ago? | | | Response Percent | Response Count |
|---------------------------------|--|--|---------------------------------|----------------|
| Much more likely |  | | 67.1% | 208 |
| Somewhat more likely |  | | 15.2% | 47 |
| No difference |  | | 15.2% | 47 |
| Somewhat less likely |  | | 1.3% | 4 |
| Much less likely |  | | 1.3% | 4 |
| | | | <i>answered question</i> | 310 |
| | | | <i>skipped question</i> | 107 |

| 33. What is your primary specialty of practice? | | | Response Percent | Response Count |
|---|--|--------------------------|------------------|----------------|
| Medical oncology |  | | 1.4% | 4 |
| Radiation oncology |  | | 97.3% | 284 |
| Surgical oncology | | | 0.0% | 0 |
| Neuro-oncology | | | 0.0% | 0 |
| Neurosurgery |  | | 0.7% | 2 |
| Other |  | | 0.7% | 2 |
| | | (please specify) | | 1 |
| | | answered question | | 292 |
| | | skipped question | | 125 |











| 34. Please indicate the number of years for which you have practiced in your primary specialty. | | | Response Count |
|---|--|--------------------------|----------------|
| | | | 292 |
| | | answered question | 292 |
| | | skipped question | 125 |

| 35. Please enter the year in which you were born. | | | Response Count |
|---|--|--------------------------|----------------|
| | | | 292 |
| | | answered question | 292 |
| | | skipped question | 125 |





36. Please select your gender.







| | | Response Percent | Response Count |
|--------------------------|--|------------------|----------------|
| Male |  | 72.9% | 213 |
| Female |  | 26.4% | 77 |
| Other |  | 0.7% | 2 |
| answered question | | | 292 |
| skipped question | | | 125 |

37. Please select your race(s)/ethnicit(y/ies).




| | | Response Percent | Response Count |
|----------------------------------|--|------------------|----------------|
| White |  | 79.1% | 231 |
| Black, African American |  | 2.7% | 8 |
| American Indian or Alaska Native |  | 1.7% | 5 |
| Asian Indian |  | 7.5% | 22 |
| Chinese |  | 2.4% | 7 |
| Filipino |  | 0.7% | 2 |
| Japanese |  | 0.3% | 1 |
| Korean |  | 0.7% | 2 |
| Vietnamese |  | 0.3% | 1 |
| Native Hawaiian | | 0.0% | 0 |
| Other |  | 6.5% | 19 |
| | | (please specify) | 16 |
| answered question | | | 292 |
| skipped question | | | 125 |






| 38. Please enter the 5-digit zip code in which you currently practice. | | |
|--|--|----------------|
| | | Response Count |
| | | 292 |
| <i>answered question</i> | | 292 |
| <i>skipped question</i> | | 125 |





| 39. Which of the following best describes the primary practice in which you work? | | | |
|---|---|--------------------------|----------------|
| | | Response Percent | Response Count |
| Solo practice |  | 6.2% | 18 |
| Group practice - single specialty |  | 52.7% | 154 |
| Group practice - multiple specialty |  | 34.9% | 102 |
| Other |  | 6.2% | 18 |
| | | (please specify) | 17 |
| | | <i>answered question</i> | 292 |
| | | <i>skipped question</i> | 125 |





| 40. Which of the following best describes your primary practice environment? | | | Response Percent | Response Count |
|--|--|--------------------------|------------------|----------------|
| Office-based, private |  | | 20.9% | 61 |
| Office-based, academic |  | | 5.1% | 15 |
| Hospital-based, private |  | | 29.8% | 87 |
| Hospital-based, academic |  | | 38.7% | 113 |
| Veterans'/military hospital |  | | 2.4% | 7 |
| Other |  | | 3.1% | 9 |
| | | (please specify) | | 8 |
| | | answered question | | 292 |
| | | skipped question | | 125 |

| 41. Please rank the following in terms of the proportion of time you spend on each, with "1" designating the area in which you spend most of your time, and "4" designating the area in which you spend the least amount of time. | | | | | | |
|---|--------------------|----------------------|--------------------|-------------------|--------------------------|----------------|
| | Most time (1) | Significant time (2) | Little time (3) | Least time (4) | Rating Average | Response Count |
| Clinical care | 94.8% (272) | 4.2% (12) | 0.7% (2) | 0.3% (1) | 1.07 | 287 |
| Research | 4.1% (10) | 24.8% (60) | 33.1% (80) | 38.0% (92) | 3.05 | 242 |
| Teaching | 0.0% (0) | 26.4% (70) | 46.0% (122) | 27.5% (73) | 3.01 | 265 |
| Administration | 1.8% (5) | 39.4% (111) | 24.5% (69) | 34.4% (97) | 2.91 | 282 |
| | | | | | answered question | 292 |
| | | | | | skipped question | 125 |






| 42. For how many patients with brain metastases do you care each year? | | | Response Percent | Response Count |
|--|--|--|--------------------------|----------------|
| <10 patients |  | | 7.2% | 21 |
| 10-50 patients |  | | 75.3% | 220 |
| >50 patients |  | | 17.5% | 51 |
| | | | answered question | 292 |
| | | | skipped question | 125 |

| 43. How often do you follow-up with patients after their diagnosis of brain metastases? | | | Response Percent | Response Count |
|---|--|--|--------------------------|----------------|
| At diagnosis only |  | | 1.7% | 5 |
| Through active treatment for brain metastases |  | | 6.8% | 20 |
| Through one post-treatment visit |  | | 35.3% | 103 |
| Throughout the remaining course of their disease |  | | 53.4% | 156 |
| Other |  | | 2.7% | 8 |
| | | | (please specify) | 9 |
| | | | answered question | 292 |
| | | | skipped question | 125 |

| 44. Please answer the following about the availability of stereotactic radiosurgery (SRS): | | | Response Percent | Response Count |
|---|--|--|--------------------------|----------------|
| I perform SRS. |  | | 44.5% | 130 |
| I do not perform SRS, but a colleague in my practice and/or institution does. |  | | 35.6% | 104 |
| I do not perform SRS, nor does anyone in my practice or institution, but a colleague in my city does. |  | | 9.2% | 27 |
| I do not perform SRS, nor does anyone in my practice, institution, or city. |  | | 10.6% | 31 |
| | | | answered question | 292 |
| | | | skipped question | 125 |

| 45. Which of the following personal experiences have you had with treatment of brain metastases? (Select all that apply) | | | Response Percent | Response Count |
|--|--|--|--------------------------|----------------|
| I have been treated for brain metastases. |  | | 0.7% | 2 |
| A family member of mine has been treated for brain metastases. |  | | 10.3% | 30 |
| A friend of mine has been treated for brain metastases. |  | | 19.5% | 57 |
| I know no one, apart from my patients, who has been treated for brain metastases. |  | | 72.6% | 212 |
| | | | answered question | 292 |
| | | | skipped question | 125 |

46. Which of the following types of radiosurgery equipment do you have at your place of practice for the treatment of brain metastases? (Select all that apply)

| | | Response Percent | Response Count |
|------------------|--|--------------------------|----------------|
| Gamma Knife |  | 32.9% | 96 |
| LINAC SRS |  | 61.6% | 180 |
| Cyberknife |  | 16.4% | 48 |
| None |  | 17.5% | 51 |
| Other |  | 4.8% | 14 |
| | | (please specify) | 11 |
| | | answered question | 292 |
| | | skipped question | 125 |

47. Please feel free to enter any comments about this survey below.

| | | Response Count |
|--|--|--------------------------|
| | | 77 |
| | | answered question |
| | | 77 |
| | | skipped question |
| | | 340 |